


206080 " 45158001



COPY OF PAPERS  
ORIGINALLY FILED

1/18



206080" EST9800T



COPY OF PAPERS  
ORIGINALLY FILED

2/18

LAMOTRIGINE FORM C STEP: 0.050° CNT TIME: 1.000 SEC.  
RANGE: 2.00 - 40.00 (DEG) CONT. SCAN RATE: 3.00 DEG/MIN.




FIG. 2



COPY OF PAPERS  
ORIGINALLY FILED

3/18

206080" 25T9800T

# LAMOTRIGINE FORM D





FIG. 3



COPY OF PAPERS  
ORIGINALLY FILED

4/18

205030 EST 9800T



206080" /ST98001



COPY OF PAPERS  
ORIGINALLY FILED

5/18





FIG. 5



COPY OF PAPERS  
ORIGINALLY FILED

6/18




206080" 45198001



COPY OF PAPERS  
ORIGINALLY FILED

7/18





COPY OF PAPERS  
ORIGINALLY FILED

8/18

206080" 25T9300T

# LAMOTRIGINE FORM J




FIG. 8

206030 " 4273800T



COPY OF PAPERS  
ORIGINALLY FILED

9/18

LAMOTRIGINE FORM K




FIG. 9

O I P E J C S  
AUG 09 2002  
PATENT & TRADEMARK OFFICE

COPY OF PAPERS  
ORIGINALLY FILED

10/18

205080" 25198001

LAMOTRIGINE FORM L




FIG. 10



11/18

206080" 25T3800T

LAMOTRIGINE FORM M





FIG. 11



12/18

206030" 23T9800T





206080" 25T3300T





FIG. 13

206080" 25198001




14/18






15/18



206080" 25T3800T




16/18



206080" 45T5800T



17/18



206080" 25T9800T



18/18

LAMOTRIGINE FORM U

